ESDIR DUG

Dirt Dog Box Blades are Effective, Reliable and Durable.

Our blades offer the heavy duty features you depend on everyday to get the job done.

Choose Dirt Dog for superior equipment you can count on year after year.



Box Blades (24 to 65 horsepower)











Dirt Dog makes heavy duty box blades. It doesn't matter if you have a compact or 65 hp tractor, you can be sure that your Dirt Dog box blade will be tough enough to withstand the test of time. We pack heavy duty, high quality features into every box blade we make, so you can get hard work done fast.



CBX

- Category 0 & 1 quick hitch compatible A-frame
- Fully welded A-frame
- 3/16" side plates
- Adjustable and replaceable shanks
- Two 3/8" x 6" bolt-on reversible & replaceable cutting edges
- Available in 4 and 5 ft.

The **CBX series** was engineered to be a heavy duty option for compact tractor owners. This tough box has the strength and durability you need, in a compact size you can handle.



SBX

- Category 1 quick hitch compatible A-frame
- Heavy duty welded A-frame & double strap hitch
- 3/8 "end plates
- 4" x 4" x 5/16" scarifier box
- Two 1/2" x 6" bolt-on reversible & replaceable cutting edges
- Available in 4, 5, 5 ½, 6, 6 ½ & 7 ft.

The **SBX series** raises the bar for all box blades on the market.
The original SBX manufactured by Dirt Dog has been around for years. Why? Simple. Heavy duty design engineered to make a tough job easy.



MBX

- Category 1 & 2 quick hitch compatible A-frame
- Heavy duty welded A-frame & triple strap hitch
- 1/2" wear plates welded to 3/8" end plates for strength
- 4" x 4" x 3/8" scarifier box
- Floating rear tail gate
- Two 1/2" x 6" bolt-on reversible & replaceable cutting edges
- Available in 5, 6, 7 and 8 ft.

The **MBX series** builds on the strengths of the SBX by adding metal where it counts. If the job calls for a heavy duty box blade, this is it.



Rollover

- Category 1 quick hitch compatible A-frame
- Heavy duty A-frame & double strap hitch
- 3/4" thick pivot & locking arms
- Two 1/2" x 6" reversible & replaceable cutting edges
- Heat treated shanks with replaceable tips
- Available in 4, 5, 5 ½, 6 and 7 ft.

The **Rollover** is one of our most versatile designs. The heavy duty design allows for grading, scarifying and backfilling all without leaving your tractor. Go from grading with the cutting edge to deep penetrating shanks with a pull of the handle.



RBX

- Category 1 hitch
- Heavy duty A-frame & double strap hitch
- 5" x 5" x 1/2" thick scarifier box
- Heat treated shanks with replaceable tips
- Two 1/2" x 6" reversible & replaceable cutting edges
- Depth of shanks is adjustable & retractable
- Floating rear tail gate
- Available in 6, 6 $\frac{1}{2}$, and 7 ft.

The **RBX** is Dirt Dog's retractable shank box blade series. The RBX can handle loads of dirt with its high strength, high capacity box design.

Dirt Dog manufactures heavy duty equipment for hard working people. We offer a full line of 3 pt. hitch tractor and skid steer attachments. Our product line is always growing and developing, so you can get hard work done fast.

Visit our Web site for more information on all of our products at www.DirtDogMfg.com.

BOX BLADE SPECIFICATIONS

| | CBX | SBX | MBX | RO | RBX |
|-----------------|----------------|---------------------------------|------------------|---------------------------|-----------------|
| Over all height | 29 1/2" | 35 1/4" | 35 1/4" | 34 1/4" | 55" |
| Over all width | 4 & 5 ft | 4, 5, 5 1/2, 6, 6 1/2 & 7 ft | 5, 6, 7 & 8 ft | 4, 5, 5 1/2, 6, & 7 ft | 6, 6 1/2 & 7 ft |
| Over all depth | 23 1/2 | 27 1/2" | 27 1/2" | 43" | 35" |
| Box depth | 17 11/16" | 24" | 24" | 22 3/4" | 29 1/2" |
| Weight | 240 lbs (4 ft) | 430 lbs (4 ft) | 580 lbs (5 ft) | 525 lbs (4 ft) | 829 lbs (6 ft) |
| | 280 lbs (5 ft) | 490 lbs (5 ft) | 640 lbs (6 ft) | 630 lbs (5 ft) | 890 lbs (7 ft) |
| | | 510 lbs (5 1/2 ft) | 710 lbs (7 ft) | 680 lbs (5 1/2 ft) | 957 lbs (8 ft) |
| | | 550 lbs (6 ft) | 790 lbs (8 ft) | 710 lbs (6 ft) | |
| | | 580 lbs (6 1/2 ft | | 780 lbs (7 ft) | |
| | | 610 lbs (7 ft) | | | |
| # of Shanks | 4 (4 ft) | 4 (4ft) | 5 (5 ft) | 4 (4 ft) | 6 (6 ft) |
| | 4 (5 ft) | 5 (5 ft) | 6 (6 ft) | 5 (5 ft) | 6 (7 ft) |
| | | 5 (5 1/2 ft) | 6 (7 ft) | 6 (5 1/2 ft) | 6 (8 ft) |
| | | 6 (6 ft) | 6 (8 ft) | 6 (6 ft) | |
| | | 6 (6 1/2 ft | | 6 (7 ft) | |
| | | 6 (7 ft) | | | |
| # of Plow Bolts | 8 (4 ft) | 8 (4 ft) | 10 (5 ft) | 8 (4 ft) | 12 (6 ft) |
| | 10 (5 ft) | 10 (5 ft) | 12 (6 ft) | 10 (5 ft) | 14 (6 1/2 ft) |
| | | 12 (5 1/2 ft) | 14 (7 ft) | 12 (5 1/2 ft) | 14 (7 ft) |
| | | 12 (6 ft) | 16 (8 ft) | 12 (6 ft) | |
| | | 14 (6 1/2 ft | | 14 (7 ft) | |
| | | 14 (7 ft) | | | |
| Lower hitch | 13 5/8" | 15 3/4" | 15 3/4" | 14 1/2" | 13 1/2" |
| Pin Height | 13 3/6 | 15 3/4 | 15 3/4 | 14 1/2 | 13 1/2 |
| Horse power | 24 - 20 | 50 - 40 | 65 - 55 | 60 - 45 | 65 - 55 |
| (2wd - 4wd) | 24 - 20 | 30 - 40 | 03 - 33 | 00 - 43 | 05 - 55 |
| Cutting edge | 3/8" X 6" | 1/2" X 6" | 1/2" X 6" | 1/2" X 6" | 1/2" X 6" |
| | Bolt on R & R* | Bolt on R & R* | Bolt on R & R* | Bolt on R & R* | Bolt on R & R* |
| Hitch | 3-Pt. Cat 0 | 3-Pt. Cat I | 3-Pt. Cat I & II | 3-Pt. Cat I | 3-Pt. Cat I |
| | Quick Hitch | Quick Hitch | Quick Hitch | Quick Hitch | |
| Paint Options | R,G,O,B or Y | R,G,O,B or Y | R,G,O,B or Y | Y | Υ |

R & R* = Reversible and Replaceable

Powder coat paint options R = RED B = BLUE BL = BLACK G = GREEN O = ORANGE Y = YELLOW

www.DirtDogMfg.com

P 706.335.4647 F 706.335.1850 2405 US 441 South Commerce, GA 30529